


5M HTD 09		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
12 5M 9 - 6F	12	19,10	17,96	23,0	13,0	-	14,5	20,0	4,0	0,030
14 5M 9 - 6F	14	22,28	21,14	25,0	14,0	-	14,5	20,0	6,0	0,040
15 5M 9 - 6F	15	23,87	22,73	28,0	16,0	-	14,5	20,0	6,0	0,050
16 5M 9 - 6F	16	25,46	24,32	28,0	16,5	-	14,5	20,0	6,0	0,050
18 5M 9 - 6F	18	28,65	27,51	32,0	20,0	-	14,5	20,0	6,0	0,070
20 5M 9 - 6F	20	31,83	30,69	36,0	23,0	-	14,5	22,5	6,0	0,100
21 5M 9 - 6F	21	33,42	32,28	38,0	24,0	-	14,5	22,5	6,0	0,110
22 5M 9 - 6F	22	35,01	33,87	38,0	25,5	-	14,5	22,5	6,0	0,120
24 5M 9 - 6F	24	38,20	37,06	42,0	27,0	-	14,5	22,5	6,0	0,140
26 5M 9 - 6F	26	41,38	40,24	44,0	30,0	-	14,5	22,5	6,0	0,170
28 5M 9 - 6F	28	44,56	43,42	48,0	30,5	-	14,5	22,5	6,0	0,200
30 5M 9 - 6F	30	47,75	46,60	51,0	35,0	-	14,5	22,5	6,0	0,240
32 5M 9 - 6F	32	50,93	49,79	54,0	38,0	-	14,5	22,5	8,0	0,270
36 5M 9 - 6F	36	57,30	56,16	60,0	38,0	-	14,5	22,5	8,0	0,330
40 5M 9 - 6F	40	63,66	62,52	71,0	38,0	-	14,5	22,5	8,0	0,400
44 5M 9 - 6W	44	70,03	68,89	-	38,0	58,5	14,5	25,5	8,0	0,170
48 5M 9 - 6W	48	76,39	75,25	-	45,0	61,0	14,5	25,5	8,0	0,180
60 5M 9 - 6W	60	95,49	94,35	-	45,0	80,0	14,5	25,5	8,0	0,220
72 5M 9 - 6W	72	114,59	113,45	-	45,0	100,0	14,5	25,5	8,0	0,260

POLIAS 5M HTD 15


Faça download de nossos desenhos padrões.



5M HTD 15		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
12 5M 15 - 6F	12	19,10	17,96	23,0	13,0	-	20,5	26,0	4,0	0,040
14 5M 15 - 6F	14	22,28	21,14	25,0	14,0	-	20,5	26,0	6,0	0,050
15 5M 15 - 6F	15	23,87	22,73	28,0	16,0	-	20,5	26,0	6,0	0,060
16 5M 15 - 6F	16	25,46	24,32	28,0	16,5	-	20,5	26,0	6,0	0,070
18 5M 15 - 6F	18	28,65	27,51	32,0	20,0	-	20,5	26,0	6,0	0,090
20 5M 15 - 6F	20	31,83	30,69	36,0	23,0	-	20,5	26,0	6,0	0,120
21 5M 15 - 6F	21	33,42	32,28	38,0	24,0	-	20,5	26,0	6,0	0,130
22 5M 15 - 6F	22	35,01	33,87	38,0	25,5	-	20,5	26,0	6,0	0,140
24 5M 15 - 6F	24	38,20	37,06	42,0	27,0	-	20,5	28,0	6,0	0,180
26 5M 15 - 6F	26	41,38	40,24	44,0	30,0	-	20,5	28,0	6,0	0,220
28 5M 15 - 6F	28	44,56	43,42	48,0	30,5	-	20,5	28,0	6,0	0,250
30 5M 15 - 6F	30	47,75	46,60	51,0	35,0	-	20,5	28,0	6,0	0,300
32 5M 15 - 6F	32	50,93	49,79	54,0	38,0	-	20,5	28,0	8,0	0,350
36 5M 15 - 6F	36	57,30	56,16	60,0	38,0	-	20,5	28,0	8,0	0,430
40 5M 15 - 6F	40	63,66	62,52	71,0	38,0	-	20,5	28,0	8,0	0,520
44 5M 15 - 6W	44	70,03	68,89	-	38,0	56,5	20,5	30,0	8,0	0,230
48 5M 15 - 6W	48	76,39	75,25	-	38,0	61,0	20,5	30,0	8,0	0,190
60 5M 15 - 6W	60	95,49	94,35	-	50,0	80,0	20,5	30,0	8,0	0,300
72 5M 15 - 6W	72	114,59	113,45	-	50,0	100,0	20,5	30,0	8,0	0,380

POLIAS 5M HTD 25

Faça download de nossos desenhos padrões.



5M HTD 25		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
12 5M 25 - 6F	12	19,10	17,96	23,0	13,0	-	30,0	36,0	4,0	0,050
14 5M 25 - 6F	14	22,28	21,14	25,0	14,0	-	30,0	36,0	6,0	0,070
15 5M 25 - 6F	15	23,87	22,73	28,0	16,0	-	30,0	36,0	6,0	0,080
16 5M 25 - 6F	16	25,46	24,32	28,0	16,5	-	30,0	36,0	6,0	0,100
18 5M 25 - 6F	18	28,65	27,51	32,0	20,0	-	30,0	36,0	6,0	0,120
20 5M 25 - 6F	20	31,83	30,69	36,0	23,0	-	30,0	36,0	6,0	0,160
21 5M 25 - 6F	21	33,42	32,28	38,0	24,0	-	30,0	38,0	6,0	0,190
22 5M 25 - 6F	22	35,01	33,87	38,0	25,5	-	30,0	38,0	6,0	0,210
24 5M 25 - 6F	24	38,20	37,06	42,0	27,0	-	30,0	38,0	6,0	0,250
26 5M 25 - 6F	26	41,38	40,24	44,0	30,0	-	30,0	38,0	6,0	0,300
28 5M 25 - 6F	28	44,56	43,42	48,0	30,5	-	30,0	38,0	6,0	0,350
30 5M 25 - 6F	30	47,75	46,60	51,0	35,0	-	30,0	38,0	6,0	0,420
32 5M 25 - 6F	32	50,93	49,79	54,0	38,0	-	30,0	38,0	8,0	0,480
36 5M 25 - 6F	36	57,30	56,16	60,0	38,0	-	30,0	38,0	8,0	0,590
40 5M 25 - 6F	40	63,66	62,52	71,0	38,0	-	30,0	38,0	8,0	0,740
44 5M 25 - 6	44	70,03	68,89	-	38,0	-	30,0	40,0	8,0	0,320
48 5M 25 - 6W	48	76,39	75,25	-	38,0	61,0	30,0	40,0	8,0	0,280
60 5M 25 - 6W	60	95,49	94,35	-	50,0	80,0	30,0	40,0	8,0	0,430
72 5M 25 - 6W	72	114,59	113,45	-	50,0	100,0	30,0	40,0	8,0	0,520