


POLIAS 8M HTD 20


Faça download de nossos desenhos padrões.



8M HTD 20		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
22 8M 20 - 6F	22	56,02	54,65	60,0	43,0	-	28,0	38,0	12,0	0,54
24 8M 20 - 6F	24	61,12	59,75	66,0	45,0	-	28,0	38,0	12,0	0,65
26 8M 20 - 6F	26	66,21	64,84	71,0	50,0	-	28,0	38,0	12,0	0,80
28 8M 20 - 6F	28	71,30	70,08	75,0	50,0	-	28,0	38,0	15,0	0,87
30 8M 20 - 6F	30	76,39	75,13	83,0	55,0	-	28,0	38,0	15,0	1,02
32 8M 20 - 6F	32	81,49	80,16	87,0	60,0	-	28,0	38,0	15,0	1,20
34 8M 20 - 6F	34	86,58	85,22	91,0	70,0	-	28,0	38,0	15,0	1,40
36 8M 20 - 6F	36	91,67	90,30	98,5	70,0	-	28,0	38,0	15,0	1,55
38 8M 20 - 6F	38	96,77	95,39	103,0	75,0	-	28,0	38,0	15,0	1,75
40 8M 20 - 6F	40	101,86	100,49	106,0	75,0	-	28,0	38,0	15,0	1,76
44 8M 20 - 6F	44	112,05	110,67	119,0	75,0	-	28,0	38,0	15,0	2,10
48 8M 20 - 6F	48	122,23	120,86	127,0	75,0	-	28,0	38,0	15,0	2,44
56 8M 20 - 6WF	56	142,60	141,23	148,0	80,0	117,0	28,0	38,0	15,0	2,55
64 8M 20 - 6WF	64	162,97	161,60	168,0	80,0	137,0	28,0	38,0	15,0	2,93
72 8M 20 - 6WF	72	183,35	181,97	192,0	80,0	158,0	28,0	38,0	15,0	3,54
80 8M 20 - 6A	80	203,72	202,35	-	90,0	180,0	28,0	38,0	15,0	3,80
90 8M 20 - 6A	90	229,18	227,81	-	90,0	204,0	28,0	38,0	15,0	4,20
112 8M 20 - 6A	112	285,21	283,83	-	90,0	260,0	28,0	38,0	18,0	5,20
144 8M 20 - 6A	144	366,69	365,32	-	90,0	341,0	28,0	38,0	20,0	7,50
168 8M 20 - 6A	168	427,81	426,44	-	100,0	402,0	28,0	38,0	20,0	10,00
192 8M 20 - 6A	192	488,92	487,55	-	100,0	460,0	28,0	38,0	20,0	14,40

POLIAS 8M HTD 30


Faça download de nossos desenhos padrões.



8M HTD 30		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
22 8M 30 - 6F	22	56,02	54,65	60,0	43,0	-	38,0	48,0	12,0	0,69
24 8M 30 - 6F	24	61,12	59,75	66,0	45,0	-	38,0	48,0	12,0	0,84
26 8M 30 - 6F	26	66,21	64,84	71,0	50,0	-	38,0	48,0	12,0	1,00
28 8M 30 - 6F	28	71,30	70,08	75,0	50,0	-	38,0	48,0	15,0	1,12
30 8M 30 - 6F	30	76,39	75,13	83,0	55,0	-	38,0	48,0	15,0	1,32
32 8M 30 - 6F	32	81,49	80,16	87,0	60,0	-	38,0	48,0	15,0	1,53
34 8M 30 - 6F	34	86,58	85,22	91,0	70,0	-	38,0	48,0	15,0	1,80
36 8M 30 - 6F	36	91,67	90,30	98,5	70,0	-	38,0	48,0	15,0	1,99
38 8M 30 - 6F	38	96,77	95,39	103,0	75,0	-	38,0	48,0	15,0	2,27
40 8M 30 - 6F	40	101,86	100,49	106,0	75,0	-	38,0	48,0	15,0	2,40
44 8M 30 - 6F	44	112,05	110,67	119,0	75,0	-	38,0	48,0	15,0	2,70
48 8M 30 - 6F	48	122,23	120,86	127,0	75,0	-	38,0	48,0	15,0	3,20
56 8M 30 - 6WF	56	142,60	141,23	148,0	90,0	117,0	38,0	48,0	15,0	3,70
64 8M 30 - 6WF	64	162,97	161,60	168,0	90,0	137,0	38,0	48,0	15,0	4,10
72 8M 30 - 6WF	72	183,35	181,97	192,0	95,0	158,0	38,0	48,0	15,0	4,80
80 8M 30 - 6A	80	203,72	202,35	-	100,0	180,0	38,0	48,0	15,0	5,10
90 8M 30 - 6A	90	229,18	227,81	-	100,0	204,0	38,0	48,0	15,0	5,70
112 8M 30 - 6A	112	285,21	283,83	-	100,0	260,0	38,0	48,0	18,0	6,80
144 8M 30 - 6A	144	366,69	365,32	-	100,0	341,0	38,0	48,0	20,0	9,30
168 8M 30 - 6A	168	427,81	426,44	-	100,0	402,0	38,0	48,0	20,0	11,40
192 8M 30 - 6A	192	488,92	487,55	-	100,0	460,0	38,0	48,0	20,0	16,00

POLIAS 8M HTD 50


Faça download de nossos desenhos padrões.



8M HTD 50		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
22 8M 50 - 6F	22	56,02	54,65	60,0	43,0	-	60,0	70,0	12,0	1,00
24 8M 50 - 6F	24	61,12	59,75	66,0	45,0	-	60,0	70,0	12,0	1,23
26 8M 50 - 6F	26	66,21	64,84	71,0	50,0	-	60,0	70,0	12,0	1,50
28 8M 50 - 6F	28	71,30	70,08	75,0	50,0	-	60,0	70,0	15,0	1,67
30 8M 50 - 6F	30	76,39	75,13	83,0	55,0	-	60,0	70,0	15,0	1,97
32 8M 50 - 6F	32	81,49	80,16	87,0	60,0	-	60,0	70,0	15,0	2,27
34 8M 50 - 6F	34	86,58	85,22	91,0	70,0	-	60,0	70,0	15,0	2,64
36 8M 50 - 6F	36	91,67	90,30	98,5	70,0	-	60,0	70,0	15,0	2,97
38 8M 50 - 6F	38	96,77	95,39	103,0	75,0	-	60,0	70,0	15,0	3,35
40 8M 50 - 6F	40	101,86	100,49	106,0	75,0	-	60,0	70,0	18,0	3,30
44 8M 50 - 6F	44	112,05	110,67	119,0	75,0	-	60,0	70,0	18,0	4,05
48 8M 50 - 6F	48	122,23	120,86	127,0	75,0	-	60,0	70,0	18,0	4,80
56 8M 50 - 10WF	56	142,60	141,23	148,0	90,0	117,0	60,0	60,0	18,0	5,20
64 8M 50 - 10WF	64	162,97	161,60	168,0	100,0	137,0	60,0	60,0	18,0	5,60
72 8M 50 - 10WF	72	183,35	181,97	192,0	100,0	158,0	60,0	60,0	18,0	6,80
80 8M 50 - 10A	80	203,72	202,35	-	110,0	180,0	60,0	60,0	18,0	7,50
90 8M 50 - 10A	90	229,18	227,81	-	110,0	204,0	60,0	60,0	18,0	8,60
112 8M 50 - 10A	112	285,21	283,83	-	110,0	260,0	60,0	60,0	18,0	9,60
144 8M 50 - 10A	144	366,69	365,32	-	110,0	341,0	60,0	60,0	20,0	13,80
168 8M 50 - 10A	168	427,81	426,44	-	120,0	402,0	60,0	60,0	20,0	16,00
192 8M 50 - 10A	192	488,92	487,55	-	130,0	460,0	60,0	60,0	20,0	22,80

POLIAS 8M HTD 85

Faça download de nossos desenhos padrões.



8M HTD 85		Dp	De	Df	Dm	Di	F	L	d	Peso
Referência	Número de Dentes	mm	mm	mm	mm	mm	mm	mm	mm	kg
22 8M 85 - 6F	22	56,02	54,65	60,0	43,0	-	95,0	105,0	12,0	1,55
24 8M 85 - 6F	24	61,12	59,75	66,0	45,0	-	95,0	105,0	12,0	1,90
26 8M 85 - 6F	26	66,21	64,84	71,0	50,0	-	95,0	105,0	12,0	2,25
28 8M 85 - 6F	28	71,30	70,08	75,0	50,0	-	95,0	105,0	15,0	2,55
30 8M 85 - 6F	30	76,39	75,13	83,0	55,0	-	95,0	105,0	15,0	3,00
32 8M 85 - 6F	32	81,49	80,16	87,0	60,0	-	95,0	105,0	15,0	3,57
34 8M 85 - 6F	34	86,58	85,22	91,0	70,0	-	95,0	105,0	15,0	4,00
36 8M 85 - 6F	36	91,67	90,30	98,5	70,0	-	95,0	105,0	15,0	4,50
38 8M 85 - 6F	38	96,77	95,39	103,0	75,0	-	95,0	105,0	15,0	5,08
40 8M 85 - 6F	40	101,86	100,49	106,0	75,0	-	95,0	105,0	18,0	5,12
44 8M 85 - 6F	44	112,05	110,67	119,0	75,0	-	95,0	105,0	18,0	6,60
48 8M 85 - 6F	48	122,23	120,86	127,0	75,0	-	95,0	105,0	18,0	7,40
56 8M 85 - 6F	56	142,60	141,23	148,0	80,0	-	95,0	105,0	20,0	10,15
64 8M 85 - 10WF	64	162,97	161,60	168,0	100,0	137,0	95,0	95,0	20,0	10,30
72 8M 85 - 10WF	72	183,35	181,97	192,0	110,0	158,0	95,0	95,0	20,0	11,40
80 8M 85 - 10A	80	203,72	202,35	-	110,0	180,0	95,0	95,0	20,0	11,10
90 8M 85 - 10A	90	229,18	227,81	-	110,0	204,0	95,0	95,0	20,0	12,80
112 8M 85 - 10A	112	285,21	283,83	-	110,0	260,0	95,0	95,0	24,0	15,00
144 8M 85 - 10A	144	366,69	365,32	-	120,0	341,0	95,0	95,0	24,0	20,80
168 8M 85 - 10A	168	427,81	426,44	-	120,0	402,0	95,0	95,0	24,0	24,10
192 8M 85 - 10A	192	488,92	487,55	-	130,0	460,0	95,0	95,0	24,0	30,60