


POLIAS L 050


Faça download de nossos desenhos padrões.



L 050 Referência	Número de Dentes	Dp	De	Df	Dm	Di	F	L	d	Peso kg
10 L 050-6F	10	30,32	29,56	36	20	-	19,0	28	-	0,120
11 L 050-6F	11	33,35	32,59	38	24	-	19,0	30	-	0,150
12 L 050-6F	12	36,38	35,62	42	24	-	19,0	30	-	0,180
13 L 050-6F	13	39,41	38,65	44	28	-	19,0	30	-	0,220
14 L 050-6F	14	42,45	41,68	48	28	-	19,0	30	-	0,250
15 L 050-6F	15	45,48	44,72	51	34	-	19,0	30	-	0,300
16 L 050-6F	16	48,51	47,75	54	36	-	19,0	32	-	0,360
17 L 050-6F	17	51,54	50,78	57	36	-	19,0	32	-	0,390
18 L 050-6F	18	54,57	53,81	60	40	-	19,0	32	-	0,450
19 L 050-6F	19	57,61	56,84	60	40	-	19,0	32	-	0,480
20 L 050-6F	20	60,64	59,88	66	40	-	19,0	32	-	0,540
21 L 050-6F	21	63,67	62,91	71	45	-	19,0	32	-	0,610
22 L 050-6F	22	66,70	65,94	75	45	-	19,0	32	-	0,660
23 L 050-6F	23	69,73	68,97	79	55	-	19,0	32	-	0,800
24 L 050-6F	24	72,77	72,00	79	55	-	19,0	32	-	0,830
25 L 050-6F	25	75,80	75,04	83	58	-	19,0	32	-	0,910
26 L 050-6F	26	78,83	78,07	87	58	-	19,0	32	-	0,970
27 L 050-6F	27	81,86	81,10	87	58	-	19,0	32	-	1,010
28 L 050-6F	28	84,89	84,13	91	58	-	19,0	32	-	1,080
29 L 050-6F	29	87,93	87,16	93	58	-	19,0	32	-	1,140
30 L 050-6F	30	90,96	90,20	97	58	-	19,0	32	-	1,200
32 L 050-6F	32	97,02	96,26	103	65	-	19,0	32	-	1,390
33 L 050-6F	33	100,05	99,29	106	65	-	19,0	32	12	1,340
34 L 050-6F	34	103,08	102,32	111	65	-	19,0	32	12	1,390
35 L 050-6F	35	106,12	105,35	111	65	-	19,0	32	12	1,450
36 L 050-6F	36	109,15	108,39	115	65	-	19,0	32	12	1,520
40 L 050-6WF	40	121,28	120,51	127	65	100	19,0	32	12	1,500
41 L 050-6WF	41	124,31	123,55	131	65	103	19,0	32	12	1,540
42 L 050-6WF	42	127,34	126,58	135	65	106	19,0	32	12	1,590
44 L 050-6WF	44	133,40	132,64	140	65	112	19,0	32	12	1,500
45 L 050-6WF	45	136,44	135,67	143	65	115	19,0	32	12	1,600
47 L 050-6WF	47	142,50	141,74	148	65	121	19,0	32	12	1,660
48 L 050-6WF	48	145,53	144,77	152	65	124	19,0	32	12	1,710
49 L 050-6W	49	148,56	147,80	-	65	127	19,0	32	15	1,850
50 L 050-6W	50	151,60	150,83	-	65	130	19,0	32	15	1,920
52 L 050-6W	52	157,66	156,90	-	65	136	19,0	32	15	1,910
56 L 050-6W	56	169,79	169,02	-	65	149	19,0	32	15	2,160
57 L 050-6W	57	172,82	172,06	-	65	152	19,0	32	15	2,130
60 L 050-6W	60	181,91	181,15	-	75	160	19,0	42	15	2,940
65 L 050-6A	65	197,07	196,31	-	75	176	19,0	42	15	2,430
66 L 050-6A	66	200,11	199,34	-	75	179	19,0	42	15	2,710
72 L 050-6A	72	218,30	217,53	-	75	197	19,0	42	15	2,710
84 L 050-6A	84	254,68	253,92	-	75	233	19,0	42	15	3,800
90 L 050-6A	90	272,87	272,11	-	75	252	19,0	42	15	3,800
96 L 050-6A	96	291,06	290,30	-	75	269	19,0	42	15	4,200
120 L 050-6A	120	363,83	363,07	-	75	342	19,0	42	15	5,850

POLIAS L 075


Faça download de nossos desenhos padrões.



L 075 Referência	Número de Dentes	Dp	De	Df	Dm	Di	F	L	d	Peso kg
10 L 075-6F	10	30,32	29,56	36	20	-	25,4	38	-	0,160
11 L 075-6F	11	33,35	32,59	38	24	-	25,4	38	-	0,200
12 L 075-6F	12	36,38	35,62	42	24	-	25,4	38	-	0,230
13 L 075-6F	13	39,41	38,65	44	28	-	25,4	38	-	0,280
14 L 075-6F	14	42,45	41,68	48	28	-	25,4	38	-	0,320
15 L 075-6F	15	45,48	44,72	51	34	-	25,4	38	-	0,390
16 L 075-6F	16	48,51	47,75	54	36	-	25,4	38	-	0,440
17 L 075-6F	17	51,54	50,78	57	36	-	25,4	38	-	0,490
18 L 075-6F	18	54,57	53,81	60	40	-	25,4	38	-	0,550
19 L 075-6F	19	57,61	56,84	60	40	-	25,4	38	-	0,600
20 L 075-6F	20	60,64	59,88	66	40	-	25,4	38	-	0,660
21 L 075-6F	21	63,67	62,91	71	45	-	25,4	38	-	0,760
22 L 075-6F	22	66,70	65,94	75	45	-	25,4	38	-	0,820
23 L 075-6F	23	69,73	68,97	79	55	-	25,4	38	-	0,970
24 L 075-6F	24	72,77	72,00	79	55	-	25,4	38	-	1,020
25 L 075-6F	25	75,80	75,04	83	58	-	25,4	38	-	1,110
26 L 075-6F	26	78,83	78,07	87	58	-	25,4	38	-	1,190
27 L 075-6F	27	81,86	81,10	87	58	-	25,4	38	-	1,250
28 L 075-6F	28	84,89	84,13	91	58	-	25,4	38	-	1,330
29 L 075-6F	29	87,93	87,16	93	58	-	25,4	38	-	1,410
30 L 075-6F	30	90,96	90,20	97	58	-	25,4	38	-	1,500
32 L 075-6F	32	97,02	96,26	103	65	-	25,4	38	-	1,740
33 L 075-6F	33	100,05	99,29	106	65	-	25,4	38	12	1,670
34 L 075-6F	34	103,08	102,32	111	65	-	25,4	38	12	1,740
35 L 075-6F	35	106,12	105,35	111	65	-	25,4	38	12	1,790
36 L 075-6F	36	109,15	108,39	115	65	-	25,4	38	12	1,920
40 L 075-6WF	40	121,28	120,51	127	65	100	25,4	38	12	1,750
41 L 075-6WF	41	124,31	123,55	131	65	103	25,4	38	12	1,780
42 L 075-6WF	42	127,34	126,58	135	65	106	25,4	38	12	1,840
44 L 075-6WF	44	133,40	132,64	140	65	112	25,4	38	12	1,990
45 L 075-6WF	45	136,44	135,67	143	65	115	25,4	38	12	2,000
47 L 075-6WF	47	142,50	141,74	148	65	121	25,4	38	12	2,000
48 L 075-6WF	48	145,53	144,77	152	65	124	25,4	38	12	2,100
49 L 075-6W	49	148,56	147,80	-	65	127	25,4	38	15	2,020
50 L 075-6W	50	151,60	150,83	-	65	130	25,4	38	15	2,180
52 L 075-6W	52	157,66	156,90	-	65	136	25,4	38	15	2,320
56 L 075-6W	56	169,79	169,02	-	65	149	25,4	38	15	2,470
57 L 075-6W	57	172,82	172,06	-	65	152	25,4	38	15	2,510
60 L 075-6W	60	181,91	181,15	-	75	160	25,4	45	15	3,180
65 L 075-6A	65	197,07	196,31	-	75	176	25,4	45	15	2,690
66 L 075-6A	66	200,11	199,34	-	75	179	25,4	45	15	2,790
72 L 075-6A	72	218,30	217,53	-	75	197	25,4	45	15	3,210
84 L 075-6A	84	254,68	253,92	-	75	233	25,4	45	15	4,000
90 L 075-6A	90	272,87	272,11	-	75	252	25,4	45	15	4,154
96 L 075-6A	96	291,06	290,30	-	75	269	25,4	45	15	4,600
120 L 075-6A	120	363,83	363,07	-	75	342	25,4	45	15	7,400

POLIAS L 100

Faça download de nossos desenhos padrões.



L 100 Referência	Número de Dentes	Dp	De	Df	Dm	Di	F	L	d	Peso kg
10 L 100-6F	10	30,32	29,56	36	20	-	31,8	45	-	0,190
11 L 100-6F	11	33,35	32,59	38	24	-	31,8	45	-	0,240
12 L 100-6F	12	36,38	35,62	42	24	-	31,8	45	-	0,280
13 L 100-6F	13	39,41	38,65	44	28	-	31,8	45	-	0,340
14 L 100-6F	14	42,45	41,68	48	28	-	31,8	45	-	0,380
15 L 100-6F	15	45,48	44,72	51	34	-	31,8	45	-	0,460
16 L 100-6F	16	48,51	47,75	54	36	-	31,8	45	-	0,530
17 L 100-6F	17	51,54	50,78	57	36	-	31,8	45	-	0,580
18 L 100-6F	18	54,57	53,81	60	40	-	31,8	45	-	0,660
19 L 100-6F	19	57,61	56,84	60	40	-	31,8	45	-	0,720
20 L 100-6F	20	60,64	59,88	66	40	-	31,8	45	-	0,800
21 L 100-6F	21	63,67	62,91	71	45	-	31,8	45	-	0,910
22 L 100-6F	22	66,70	66,94	75	45	-	31,8	45	-	0,990
23 L 100-6F	23	69,73	68,97	79	55	-	31,8	45	-	1,150
24 L 100-6F	24	72,77	72,00	79	55	-	31,8	45	-	1,220
25 L 100-6F	25	75,80	75,04	83	58	-	31,8	45	-	1,340
26 L 100-6F	26	78,83	78,10	87	58	-	31,8	45	-	1,440
27 L 100-6F	27	81,86	81,10	87	58	-	31,8	45	-	1,510
28 L 100-6F	28	84,89	84,13	91	58	-	31,8	45	-	1,610
29 L 100-6F	29	87,93	87,16	93	58	-	31,8	45	-	1,720
30 L 100-6F	30	90,96	90,20	97	58	-	31,8	45	-	1,820
32 L 100-6F	32	97,02	96,26	103	65	-	31,8	45	-	2,100
33 L 100-6F	33	100,05	99,29	106	65	-	31,8	45	12	2,000
34 L 100-6F	34	103,08	102,32	111	65	-	31,8	45	12	2,120
35 L 100-6F	35	106,12	105,35	111	65	-	31,8	45	12	2,190
36 L 100-6F	36	109,15	108,39	115	65	-	31,8	45	12	2,340
40 L 100-6WF	40	121,28	120,51	127	65	100	31,8	45	12	2,000
41 L 100-6WF	41	124,31	123,55	131	65	103	31,8	45	12	2,080
42 L 100-6WF	42	127,34	126,58	135	65	106	31,8	45	12	2,090
44 L 100-6WF	44	133,40	132,64	140	65	112	31,8	45	12	2,330
45 L 100-6WF	45	136,44	135,67	143	65	115	31,8	45	12	2,420
47 L 100-6WF	47	142,50	141,74	148	65	121	31,8	45	12	2,490
48 L 100-6WF	48	145,53	144,77	152	65	124	31,8	45	12	2,500
49 L 100-6W	49	148,56	147,80	-	65	127	31,8	45	15	2,520
50 L 100-6W	50	151,60	150,83	-	65	130	31,8	45	15	2,570
52 L 100-6W	52	157,66	156,90	-	65	136	31,8	45	15	2,780
56 L 100-6W	56	169,79	169,02	-	65	149	31,8	45	15	2,930
57 L 100-6W	57	172,82	172,06	-	65	152	31,8	45	15	2,930
60 L 100-6W	60	181,91	181,15	-	75	160	31,8	50	15	3,580
65 L 100-6A	65	197,10	196,31	-	75	176	31,8	50	15	3,290
66 L 100-6A	66	200,11	199,34	-	75	179	31,8	50	15	3,510
72 L 100-6A	72	218,30	217,53	-	75	197	31,8	50	15	3,890
84 L 100-6A	84	254,68	253,92	-	75	233	31,8	50	15	4,730
90 L 100-6A	90	272,87	272,11	-	75	252	31,8	50	15	4,920
96 L 100-6A	96	291,06	290,30	-	75	269	31,8	50	15	4,900
120 L 100-6A	120	363,83	363,07	-	75	342	31,8	50	15	8,400